



## Installation instruction


SCREEN Premium, flush mounting, partial building-over, ZIP guidance





## Assembling the cassette and guides.


1. Before assembling the cassette and guides, disassemble the revision profiles of the guides and remove the ZIP guide inserts.






## Cassette mounting clip (125 mm cassettes only).

By cassettes 125 mm high and  $\geq$  105 mm wide, the cassette mounting clips can be used. Clips facilitate installation and reduce the load on the cassette brackets, and the box can be hung on them independently of the brackets.









Mounting the SCREEN blind (remember to connect the power cable!).

## Installation of guides with using of the screws.

The guides should be screwed with the use of appropriately selected mounting accessories. They already have the mounting holes prepared in accordance with the selected mounting type (frontal/lateral mounting).



**Warning!** Make sure that the rails are screwed vertically parallel to each other; that the cassette is mounted horizontally and the diagonals between the guides are equal.





SCREEN Premium, flush mounting, partial building-over, ZIP guidance Preparing of the ZIP system and putting the guides together. After slipping on the guides, lower the fabric to insert it into the guiding ZIP insert. about 150 mm After lowering the fabric, insert it into the guiding ZIP insert and place the insert in the guide. After that, latch the revision profile of the guides.





Fart Produkt Sp. z o. o. Sp. k. ul.Towarowa 3, 87-100 Toruń tel. +48 56 623 55 77 e-mail: export@fartprodukt.pl www.fartprodukt.pl